

12 Acknowledgements

People	Organisation	Assistance given
Alex Drew and Mark Clayton	CSIRO Sustainable Ecosystems	Expert assistance and advice on ecological and forestry surveys
Professor Emeritus Jim Trappe	Oregon State University	Expert assistance and advice on ecological and forestry surveys
Belinda Allison, Melissa Wood	NFI (BRS)	Advice and access to data
Peter Catling	CSIRO Sustainable Ecosystems	Expert assistance with and advice on mammal trapping
Kent Keith, Peter Davies, Lindsay Butt, Sid Mans, Glen Martin,	Landholders	Unrestricted and generous availability of their time, hospitality, expert knowledge and properties for forestry and ecological surveys
Ian McLeod and David Spencer	Forestry and Forest Products CSIRO	Forestry mensuration equipment and advice
Dr John Fields and Dr John Banks	School of Resources, Environmental and Society, Australian National University	Expert forestry advice and forestry mensuration equipment
Lori Gould	Greening Australia	Picaree Hill flora data
Warwick Bratby, David Leslie, Gary Millar, Chris Reinhart,	NSW State Forests	Expert knowledge, time and access to State Forests
Ian McArthur, Murray Brown and James Gray	Farm Forestry Networks Southern Tablelands and Riverina	Expert assistance for Southern Tablelands, South-west Slopes and Riverina field site locations
Martin Driver, Alan Wilson, Bill Mulham	Natural Resources expert Deniliquin	Expert assistance for Riverina field site locations
Keith Sloane, Anne Sloane, Frank Ryan, Frank Brown, Peter Bradley, Don Gibson, Rona and John Mans, Tony Coote	Landholders	Availability of their time, knowledge and properties for forestry surveys
Ernie Smith, Mick Hand, Jo Calwell	NSW NPWS	Assistance for Western MDB field site locations
Steve Clipperton	Department Agriculture, Trangie	Assistance for Western MDB field site locations
Peter Golding, Geoffrey Dunn	BRS	Assistance in data search and making data available
Ross Sawtell, Bob Wynne	DIPNR	Assistance for Western MDB field site locations
Damien Barrett	CSIRO Plant Industry	Expert advice on Net Primary Productivity and access to data

Mark Howden	CSIRO Sustainable Ecosystems	Expert advice on data sources
Sue Briggs, Julian Seddon, Stuart Doyle	NSW National Parks and Wildlife Service	Expert advice on woody cover data, methods for applying ecological constraints in GIS
Deborah O'Connell, Art Langston	CSIRO Sustainable Ecosystems	Expert advice on GIS methods and approaches
Andre Zerger,	CSIRO Sustainable Ecosystems	Expert advice on GIS methods and approaches; review of parts of the report
Paul Nanninga	MDBC	Expert advice on BIAB and on GIS coordinate systems
Kate Ord, David Osborn	Environment Australia	Expert advice and access to data
Daniel Kennedy	Geoscience Australia	Access to data
Andrew Deane	State Forests of NSW	Expert advice on the silvicultural management practices appropriate to the native forests of the Murray- Darling Basin
Nicholas Coops	CSIRO Forestry and Forest Products	Review of growth and yield model
Neil Huth	CSIRO Sustainable Ecosystems	Review of growth and yield model

13 References

- Abbott, I. and Loneragan, O. (1983) Response of Jarrah (*Eucalyptus marginata*) regrowth to thinning. *Aust. For. Res.* **13**: 217-29.
- Alexandra, J. and Campbell, A. (2003) Plantations and sustainability science: the environmental and political settings. *Aust. For.* **66**: 12-19.
- Andren, H. (1994) Effects of habitat fragmentation on birds and mammals in landscapes with different proportions of suitable habitat: a review. *Oikos* **71**: 355-366.
- Andrew, N., Rodgerson, L. and York, A. (2000) Frequent fuel-reduction burning: the role of logs and associated leaf litter in the conservation of ant biodiversity. *Austral Ecology* **25(1)**: 99-107
- ANZECC (2001) National Approach to Firewood Collection and Use in Australia. Department of Environment and Heritage, Commonwealth of Australia.
- Austin, M.P., Cawsey, E.M., Baker, B.L., Yialeloglou, M.M., Grice, D.J. and Briggs, S.V. (2000) Predicted Vegetation Cover in the Central Lachlan Region. Final Report of the Natural Heritage Trust Project AA 1368.97. CSIRO Wildlife and Ecology, Canberra. www.cse.csiro.au/research/Program2/SL/Lachlan_veg.htm (December 14 2001).
- Avery, T.E. and Burkhart, H.E. (2002) Forest Measurements, 5th Ed. McGraw-Hill: New York.
- Baalman, E. (2002) Tree volume and taper equations for New South Wales white cypress pine. Unpublished Tech. Note No. 8, Forest Resources Branch, State Forests NSW.
- Barkstrom, B. (1981) What time does the sun rise and set? *Byte* **6(7)**, 94-114.
- Barrett, D.J. (2002) Steady state turnover time of carbon in the Australian terrestrial biosphere. *Global Biogeochem. Cycles* **16**: 1108-1129.
- Barrett, G. and Davidson, I. (1999) Community monitoring of woodland habitats - the birds on farms survey. Temperate Eucalypt Woodlands in Australia. Biology, "Conservation, Management and Restoration." eds. R. J. Hobbs & C. J. Yates. Surrey Beatty & Sons, Chipping Norton, NSW, pp. 382-399.
- Barrett, G.W., Ford, H.A. and Recher, H.F. (1994) Conservation of woodland birds in a fragmented rural landscape. *Pacific Conservation Biology*, 1, 245-256.
- Barrett, G., Silcocks A., Barry, S., Cunningham, R. and Poulter, R. (2003) The New Atlas of Australian Birds. Birds Australia (Royal Australasian Ornithologists Union), Melbourne.
- Barrett, G.W. (2000) Birds on farms: ecological management for agricultural sustainability / by Geoff Barrett. *Wingspan*, v. 10, no. 4. Suppl. Hawthorn East, Victoria: Birds Australia.
- Battaglia, M. and Sands, P. (1997) Modelling site productivity of *Eucalyptus globulus* in response to climatic and site factors. *Aust. J. Plant Physiol.* **24**, 831-850.
- Battaglia, M., Cherry, M.L., Beadle, C.L., Sands, P.J. and Hingston, A. (1998) Prediction of leaf area index in eucalypt plantations: effects of water stress and temperature. *Tree Physiol.* **18**: 521-528.
- Battaglia, M., Mummery, D. and Smith, A. (2002) Economic analysis of site survey and production modelling for the selection of plantation areas. *For. Ecol. Manage.* **162**: 185-195.
- Battaglia, M., Sands, P.J. and Candy, S.G. (1999) Hybrid growth model to predict tree height and volume growth in young *Eucalyptus globulus* plantations. *For. Ecol. Manage.* **120**: 193-201.

- Bauhus, J., McElhinny, C.M. and Alcorn, P. (2002) Stand structure and tree growth in uneven-aged spotted gum (*Corymbia maculata*) forests: some implications for management. *Forestry*, **75**: 451-456.
- Bauhus, J.J., Aubin, I., Messier, C. and Connell, M. (1999) Understorey composition and structure in a *Eucalyptus sieberi* regrowth stand 6 years after thinning and fertilisation. Proc. IFA Conference, Hobart.
- Bennett, A.F. (1993) Microhabitat use by the long-nosed potoroo, *Potorous tridactylus*, and other small mammals in remnant forest vegetation of south-western Victoria. *Wildlife Research* **20**: 267-285.
- Bennett, A.F. and Ford, L. A. (1997) Land use, habitat change and the conservation of birds in fragmented rural environments: a landscape perspective from the Northern Plains, Victoria, *Australia Pacific Conservation Biology* **3**: 244-261.
- Bennett, A.F., Henein, K. and Merriam, G. (1994) Corridor use and the elements of corridor quality: chipmunks and fencerows in a farmland mosaic. *Biological Conservation* **68**: 155-165.
- Bi, H. and Hamilton, F. (1998) Stem volume equations for native tree species in southern New South Wales and Victoria. *Aust. For.* **61**: 275-86.
- Bi, H., Wan, G. and Turvey, N.D. (2000) Estimating the self-thinning boundary line as a density-dependent stochastic biomass frontier. *Ecology*: Vol. 81, No. 6, pp. 1477-1483
- Biddiscombe, E.F., Rogers, A.L., Greenwood, E.A.N. and De Boer, E.S. (1985) Growth of tree species near salt seeps, as estimated by leaf area, crown volume and height. *Aust. For. Res.* **15**: 141-154.
- Bowman, J.C., Sleep, D., Forbes, G.J. and Edwards, M. (2000) The association of small mammals with coarse woody debris at log and stand scales. *Forest Ecology and Management* **12**., 119-124.
- Brack, C. (1999) School of Forestry and Environmental Science, Australian National University, Canberra, ACT. <http://sres.anu.edu.au/associated/mensuration/BrackandWood1998/DENSITY.HTM> (accessed February 2004).
- Brack, C (2000) School of Forestry and Environmental Science, Australian National University, Canberra, ACT. <http://sres.anu.edu.au/associated/mensuration/forest.htm> (accessed February 2004).
- Braithwaite, L.W. (1983) Studies on the arboreal marsupial fauna of eucalypt forests being harvested for woodpulp at Eden, N.S.W. I. The species and distribution of animals. *Australian Wildlife Research* **10**: 219-229.
- Braithwaite, L.W., Dudzinski, M.L., and Turner, J. (1983) Studies on the arboreal marsupial fauna of eucalypt forests being harvested for woodpulp at Eden, N.S.W. II. Relationship between the fauna density, richness and diversity, and measured variables of the habitat. *Australian Wildlife Research* **10**: 231-247.
- Braithwaite, L.W., Turner, J. and Kelly, J. (1984) Studies on the arboreal marsupial fauna of eucalypt forests being harvested for woodpulp at Eden, N.S.W. III. Relationships between faunal densities, eucalypt occurrence and foliage nutrients, and soil parent materials. *Australian Wildlife Research* **11**: 41-48.
- Briggs, S.V., Doyle, S. and Seddon, J. (unpublished) Areas and numbers of woodland remnants in the wheat/sheep belt of New South Wales.

- Bureau of Meteorology (2003) Media releases for December 2002/January, February, March and April 2003.
- Bush, S., Dickson, A., Harman, J. & Anderson, J. (1999) Australian Energy: Market Developments and Projections to 2014-15. Research Report 99.4, Canberra. Australian Bureau of Agriculture and Resource Economics (ABARE).
- Candy, S.G. (1997) Growth and yield models for *Eucalyptus nitens* plantations in Tasmania and New Zealand. *Tasforests* **9**: 167-198.
- Catling, P.C. and Burt, R.J. (1994) Studies of the ground dwelling mammals of eucalypt forests in south-eastern New South Wales: the species, their abundance and distribution. *Wildl. Res.* **21**: 219-39.
- Catling, P.C. and Burt, R.J. (1995) Studies of the ground dwelling mammals of eucalypt forests in south-eastern New South Wales: the effect of habitat variables on distribution and abundance. *Wildl. Res.* **22**: 271-88.
- Catling, P.C. and Burt, R.J. (1997) Studies of the ground dwelling mammals of eucalypt forests in north-eastern New South Wales: the species, their abundance and distribution. *Wildl. Res.* **24**: 1-19
- Catling, P.C., Burt, R.J. and Forrester, R.I. (1998) Models of the distribution and abundance of ground-dwelling mammals in the eucalypt forests of south-eastern New South Wales. *Wildl. Res.* **25**: 449-466.
- Catling, P.C., Burt, R.J. and Forrester, R.I. (2000) Models of the distribution and abundance of ground-dwelling mammals in the eucalypt forests of north-eastern New South Wales in relation to habitat variables. *Wildl. Res.* **27**: 639-654.
- Cavicchiolo, Mark (1991) An investigation into several aspects of the ecological status of the regrowth dry sclerophyll forest at "Mulloon Creek", a southern tablelands grazing property. Honours Thesis, Dept. Forestry, ANU Canberra.
- Clark, N.B. and Rawlins, W.H.M. (1999) Prospects for pulpwood from the Murray Darling Basin. *Appita J.* **52**: 203-212.
- Clark, N.B., Read, S.M. and Vinden, P. (1999) Effects of drought and salinity on wood and craft pulps from young plantation eucalypts. *Appita J.* **52**: 93-97.
- Clutter, J.L., Fortson, J.C., Pienaar, L.V., Brister, G.H. and Bailey, R.L. (1983) Timber Management. A Quantitative Approach. Wiley: New York.
- Cramer, V.A., Thorburn, P.J. and Fraser, G.W. (1999) Transpiration and groundwater uptake from farm forest plots of *Casuarina glauca* and *Eucalyptus camaldulensis* in saline areas of southeast Queensland, Australia. *Ag. Water Manage.* **39**: 187-204.
- Crawley, M.J. (1993) GLIM for ecologists. Blackwell Scientific Publications, Oxford.
- CSIRO (2003) Community Ecology Group, Wildlife, Pests and Diseases Program, CSIRO Sustainable Ecosystems, Gungahlin ACT.
- Dames and Moore (1999) *Integrating Farm Forestry and Biodiversity*. RIRDC Publication No. 99/166. Available from www.rirdc.gov.au/pub/cat/contents.html
- Department of Natural Resources and Environment, Victoria. (2002) Victorian Firewood Discussion Paper. May 2002. DNRE Victoria.
- Dickman, C.R. (1980) Ecological studies of *Antechinus stuartii* and *Antechinus flavipes* (Marsupialia: Dasyuridae) in open forest and woodland habitats. *The Australian Zoologist* **20**: 433-445.

- Draper, N.R. and Smith, H. (1981) *Applied Regression Analysis*. 2nd Ed. Wiley: New York.
- Drew, A., Freudenberger, D. and Briggs, S. (2002) The role of travelling stock routes and other linear remnant vegetation for the conservation of woodland birds in the sheep/wheat zone of central NSW. Canberra: CSIRO Sustainable Ecosystems.
- Driscoll, D.A., Milkovits, G. and Freudenberger, D. (2000) Impact and Use of Firewood in Australia. CSIRO Sustainable Ecosystems Report Commissioned by Environment Australia.
- Dumbrell, I.C. and McGrath, J.F. (2003) Growth and nutrient relationships of juvenile *Pinus pinaster* grown on ex-farmland in Western Australia. *Aust. For.* **66**: 137-144.
- Eastham, J., Scott, P.R., Steckis, R.A., Barton, A.F.M., Hunter, L.J. and Sudmeyer, R.J. (1993) Survival, growth and productivity of tree species under evaluation for agroforestry to control salinity in the Western Australian wheatbelt. *Agroforestry Systems* **21**: 223-237.
- Ellis, R.C., Ratkowsky, D.A., Mattay, J.P. and Rout, A.F. (1987) Growth of *Eucalyptus delegatensis* following partial harvesting of multi-aged stands. *Aust. For.* **50**: 95-105.
- Field, J.B. and Banks, J.C.G. (1999) Effects of silvicultural treatments on growth rates of trees and diversity of understorey in a private dry sclerophyll forest, Southern Tablelands, NSW. Proceedings from the 18th IFA Conference "Practising Forestry Today" October 1999, pp 130-135.
- Fisher, A.M. (1997) The distribution and abundance of avifauna in the Bathurst landscape: implications for conservation and land management. Charles Sturt University. PhD Thesis.
- Fitzpatrick, E.A. (1963) Estimates of pan evaporation from mean maximum temperature and vapour pressure. *J. App. Meteorol.* **2**: 780-792.
- Florence, R.G. (1996) Ecology and silviculture of Australian eucalypt forests. CSIRO Publishing, Melbourne.
- Ford, H. (1985) A synthesis of foraging ecology and behaviour of birds in eucalypt forests and woodlands. In: "Birds of Eucalypt Forests and Woodlands", pp 249-54, Eds A. Keast, H.F. Recher, H. Ford and D. Saunders, Surrey Beatty and Sons and RAOU, NSW.
- Forestry Commission of New South Wales (1983) Notes on the silviculture of major NSW forest types. 3. Dry Sclerophyll Ash Types.
- Freudenberger, D.O. (2001) Bush for the Birds: Biodiversity enhancement guidelines for the Saltshaker Project, Boorowa, NSW. CSIRO Sustainable Ecosystems, Canberra ACT.
- Freudenberger, D.O. and Stol, J.M. (2002) A biodiversity strategy and plan for the Australian Rice Industry. CSIRO Sustainable Ecosystems, Canberra ACT.
- FTSUT (1989) Fuelwood Use and Supply in Australia. Forestry Technical Services Pty Ltd and University of Tasmania, Department of Primary Industries and Energy, Canberra.
- Gerrand, A., Keenan, R.J., Kanowski, P. and Stanton, R. (2003) Australian forest plantations: an overview of industry, environmental and community issues and benefits. *Aust. For.* **66**: 1-8.
- Gibbons, P. (1999) Habitat-tree retention in wood production forests. PhD thesis, Australian National University, Dept. Zoology, Canberra.
- Gibbons, P. and Lindenmayer D.B. (2002) "Tree Hollows and Wildlife Conservation in Australia." CSIRO Publishing, Melbourne.
- Gibbons, P. and Lindenmayer, D.B. (1996) Issues associated with the retention of hollow-bearing trees within eucalypt forests managed for wood production. *Forest Ecology and Management* **83**: 245-79.

- Gibbons, P. and Lindenmayer, D.B. (1997) "Conserving hollow-dependent fauna in timber-production forests", NSW National Parks and Wildlife Service, Hurstville, N.S.W.
- Gibbons, P., Lindenmayer, D.B., Barry, S.C. and Tanton, M.T. (2000) Hollow formation in eucalypts from temperate forests in southeastern Australia. *Pacific Conservation Biology* **6**: 218-28.
- Gibbons, P., Lindenmayer, D.B., Barry, S.C. and Tanton, M.T. (2002) Hollow selection by vertebrate fauna in forests of southeastern Australia and implications for forest management. *Biological Conservation* **103**: 1-12
- Glanzign, A (1995) Native vegetation clearance, habitat loss and biodiversity decline; an overview of recent native vegetation clearance in Australia and its implications for biodiversity. Biodiversity Series. Paper No. 6. Biodiversity Unit, Department of Environment and Heritage, Australia.
- Gould, Lori (2003) Flora of Picaree Hill. Unpublished report. Greening Australia ACT and SE Region, Canberra ACT.
- Greenwood, E.A.N., Biddiscombe, E.F., Rogers, A.L., Beresford, J.D. and Watson, G.D. (1995) Growth of species in a tree plantation and its influence on salinity and groundwater in the 400 mm rainfall region of south-western Australia. *Ag. Water Manage.* **28**: 231-243.
- Grove S. (2002) Tree basal area and dead wood as surrogate indicators of saproxylic insect faunal integrity: a case study from the Australian lowland tropics. *Ecological Indicators* **1**: 171-188.
- Hamilton, D.I. and Cowley, N.B. (1987) Southern Tablelands Eucalypts of New South Wales. Forest Management in Australia: Proceedings of the Conference of the Institute of Foresters of Australia, Perth, Western Australia.
- Hamilton, F. (1988) Spatial pattern and stand development in even-aged stands with contagious spatial patterns. In: "Modelling Trees, Stands and Forests" Eds. J.W. Leech, R>E>McMurtrie, P.W. West, R.D. Spencer, and B.M. Spencer, Bulletin 5, pp 361-373, School of Forestry, University of Melbourne.
- Hobbs, R., Catling, P.C., Wombey, J.C., Clayton, M., Atkins, L. and Reid, A. (2003) Faunal use of Blue Gum (*Eucalyptus globulus*) plantations in southwestern Australia. *Agroforestry Systems* **58 (3)**, pp. 195-212
- Horne, R. (1990) Early espacement of wheatfield white cypress pine regeneration: the effect on secondary regeneration, limb size and stand merchantability. *Aust. For.* **53**, 160-7.
- Hutchinson, M.F., Booth, T.H., McMahan, J.P. and Nix, H.A. (1984) Estimating monthly mean values of daily total solar radiation for Australia. *Solar Energy* **32**: 277-290.
- Hutchinson, M.F., Nix H.A., Houlder, D.J. and McMahan, J.P. (1999) ANUCLIM Version 1.8; A software package for systematic interrogation of climate surface coefficient files, as created by the ANUSPLIN package, for biophysical applications. Centre for Resource and Environmental Studies, Australian National University.
- Ilic, J., Boland, D., McDonald, M., Downes, G. and Blakemore, P. (2000) Woody density phase 1 - state of knowledge. National Carbon Accounting System, Tech. Rep. No. 18, Australian Greenhouse Office: Canberra.
- Jack, S.B. and Long, J.N. (1996) Linkages between silviculture and ecology: an analysis of density management diagrams. *For. Ecol. Manage.* **86**: 205-220.
- Jacobs, M.R. (1955) "Growth Habits of the Eucalypts". Forestry and Timber Bureau, Commonwealth Govt. Printer, Canberra.

- Johnston, T.N. and Jennings, K.S. (1991) Management of cypress pine forests in Queensland. In Forest Management in Australia (eds F.H. McKinnell, E.R. Hopkins and J.E.D. Fox). Surrey Beatty & Sons in association with Institute of Foresters of Australia.
- Kellas, J.D & Hateley, R.F. (1987) Management of dry sclerophyll forests in Victoria; 1. The low elevation mixed species forests. Forest Management in Australia: Proceedings of the Conference of the Institute of Foresters of Australia, Perth, Western Australia.
- Knott, J (1995) White cypress pine thinning trials of the Western Region. Research Paper No. 27. Research Division. State Forests of New South Wales. Sydney.
- Lambert, M. and Turner, J. (2000) Commercial Forest Plantations on Saline Lands. CSIRO, Melbourne.
- Landsberg, J.J. and Kesteven, J. (2002) Spatial estimation of plant productivity. pp 33-50 In Richards, G.P. (Ed) Biomass Estimation: Approaches for Assessment of Stocks and Stock Change. National Carbon Accounting System, Technical Report No. 27. Australian Greenhouse Office: Canberra.
- Lacey, C. J. (1973) Silvicultural characteristics of white cypress pine. Forestry Commission of NSW, Research Note No. 26. 51 pp.
- Laven, N. and Mac Nally, R. (1998) Association of birds with coarse woody debris in box-ironbark forests of central Victoria. *Corella* **22**: 56-60.
- Lindenmayer, D.B., Cunningham, R.B., Tanton, M.T. and Smith, A.P. (1991) Characteristics of hollow-bearing trees occupied by arboreal marsupials in the montane ash forests of the central highlands of Victoria, south-east Australia. *Forest Ecology and Management* **40**: 289-308.
- Loyn, R.H. (1986) The 20 minute survey – a simple method for counting birds. *Corella* **10**: 58-64.
- Mac Nally, R. and Horrocks, G. (2002) Habitat change and restoration: responses of a forest-floor mammal species to manipulations of fallen timber in floodplain forests. *Animal Biodiversity and Conservation* **25**:1-12
- Mac Nally, R., Horrocks, G. and Pettifer, L. (2002) Experimental evidence for potential beneficial effects of fallen timber in forests. *Ecological Applications* **12**: 1588-1594.
- Mac Nally, R., Parkinson, A. Horrocks, and Young, M. (2000) Current loads of coarse woody debris on south-eastern Australian floodplains. Report No. R7007. Murray Darling Basin Commission, Natural Resource Management Scheme I and E Program, Riverine Program.
- Mac Nally, R., Parkinson, A. Horrocks, G., Conole, L. and Tzaros, C. (2000) Relationship between vertebrate biodiversity and abundance and availability of coarse woody debris on south-east Australian floodplains. Report No. R7007.III Murray Darling Basin Commission, Natural Resource Management Scheme I and E Program, Riverine Program.
- Mac Nally, R., Parkinson, A., Horrocks, G., Conole, L. and Tzaros, C., (2001). Relationships between terrestrial vertebrate diversity, abundance and availability of coarse woody debris on south-eastern Australian floodplains. *Biological Conservation* **99**: 191–205.
- Mackensen, J. and Bauhus, J. (1999) The decay of coarse woody debris. National Carbon Accounting System, Technical Report No. 6. Australian Greenhouse Office: Canberra.
- Mackowski, C.M. (1984) The ontogeny of hollows in Blackbutt (*Eucalyptus pilularis*) and its relevance to the management of forests for possums, gliders and timber. In: "Possums and Gliders", Eds. A.P. Smith and I.D. Hume, pp. 517-25, Surrey Beatty and Sons: Chipping Norton, Sydney.

- Marcar, N.E. and Khanna, P.K. (1997) Reforestation of salt-affected and acid soils. pp 481-525 In Nambiar, E.K.S. and Brown, A.G. (Eds) *Management of Soil, Nutrients and Water in Tropical Plantation Forests*. ACIAR Monograph No. 43, Canberra.
- Mazanec, Z. (1999a) Nine year results from a *Eucalyptus camaldulensis* Denh. provenance trial in the Wellington catchment of Western Australia. *Aust. For.* **62**: 166-172.
- Mazanec, Z. (1999b) Thirteen year results from a Spotted Gum provenance trial in the Wellington catchment of Western Australia. *Aust. For.* **62**: 315-319.
- McDonald, R.C., Isbell, R.F., Speight, J.G., Walker, J. and Hopkins, M.S. (1990) Australian Soil and Land Survey Field Handbook. Inkata Press, Melbourne
- McElhinny, C (2002) Forest and woodland structure as an index of biodiversity: a review. 80p. (unpublished) NSW NPWS.
- McIntyre, S., McIvor, J.G. and MacLeod, N.D. (2000) Principles for sustainable grazing in eucalypt woodlands: Landscape-scale indicators and the search for thresholds. In: Management for Sustainable Ecosystems Eds. P. Hale, A. Petrie, D. Maloney and P. Sattler. Centre for Conservation Biology, University of Queensland, Brisbane.
- McKenzie, N. and Hook, J. (1992) Interpretations of the Atlas of Australian Soils. CSIRO Division of Soils, Technical Report 94/1992.
- McKenzie, N., Ryan, P., Fogarty, P. and Wood, J. (2000) Sampling, measurement and analytical protocols for carbon estimation in soil, litter and coarse woody debris. National Carbon Accounting System, Technical Report No. 14. Australian Greenhouse Office: Canberra.
- McMahon, J.P., Hutchinson, M.F., Nix, H.A. and Ord, K.D. (1996) ANUCLIM Version 1 User's Guide. CRES, ANU, Canberra.
- MDBC (2003) website <http://www.mdbc.gov.au/education/encyclopedia/forestry/forestry.htm> (February 2004).
- Michael, Damian (2003) http://www.csu.edu.au/research/jcentre/project_summaries/JCSummary_DM_Fence%20Posts.pdf (February 2004).
- Morton, S.R., Short, J. and Barker R.D. (1995) Refugia for Biological Diversity in Arid and Semi-arid Australia with an Appendix by G.F. Griffin and G. Pearce. Biodiversity Series, Paper No. 4, Biodiversity Unit, Department of Environment and Heritage, Canberra.
- Morris, J., Mann, L. and Collopy, J. (1998) Transpiration and canopy conductance in a eucalypt plantation using shallow saline groundwater. *Tree Physiol.* **18**: 547-555.
- Murray, F.W. (1967) On the computation of saturation vapour pressure. *J. Appl. Meteorol.* **6**: 203-204.
- Murtagh, B.A. and Saunders, M.A. (1978) Large-scale linearly constrained optimization. *Mathematical Programming* **14**: 41-72.
- Murtagh, B.A. and Saunders, M.A. (1983) MINOS 5.0 Users Guide. Systems Optimization Laboratory, Department of Operations Research, Stanford University, Tech. Rep. SOL 83-20.
- Myers, B.J., Theiveyanathan, S., O'Brien, N.D. and Bond, J.W. (1996) Growth and water-use of *Eucalyptus grandis* and *Pinus radiata* plantations irrigated with effluent. *Tree Physiol.* **16**: 211-219.

- Myers, B.J., Benyon, R.G., Theiveyanathan, S., Criddle, R.S., Smith, C.J. and Falkiner, R.A. (1998) Response of effluent-irrigated *Eucalyptus grandis* and *Pinus radiata* to salinity and vapour pressure deficits. *Tree Physiol.* **18**: 565-573.
- National Forest Inventory (1998) Australia's State of the Forests Report 1998. Bureau of Rural Sciences: Canberra.
- National Forest Inventory. (2003) National plantation inventory annual update - March 2003. Bureau of Rural Sciences: Canberra.
- National Forest Policy Statement. (1995) A new focus for Australia's forests. Commonwealth of Australia December 1992, Second Edition 1995.
- Neagle, N. (1994) The environmental impact and ecological sustainability of woodcutting in South Australia. Adelaide: Native Vegetation Conservation Section, Dept. of Environment and Natural Resources.
- New, B. and England, M. (2002) Farm Forestry: Designing for increased biodiversity. Primary Industries and Natural Resources: South Australia.
- Newsome, A.E. and Catling, P.C. (1979) Habitat preferences of vertebrates inhabiting heathlands of coastal, montane and alpine regions of south-east Australia. In "Ecosystems of the World: Volume 9A. Heathlands and related shrublands" Ed. R.L. Specht, pp. 301-16, Elsevier Scientific Publishing Co., Amsterdam.
- Nicholls, A.O. (1991) An introduction to statistical modelling using GLIM. In: "Nature Conservation: cost effective biological surveys and data analysis", Eds. Margules, C.R. and Austin, M.P., pp. 54-63, CSIRO: Melbourne
- Nicholson, D. (1997) Managing Cypress Pine on your property. State Forests and North West Catchment Management Committee, NSW. 13 pp.
- Noss, R.F. (1990) Indicators for monitoring biodiversity: a hierarchical approach. *Conservation Biology* **4**: 355-364.
- NSW National Parks and Wildlife Service (1998) Tinderry Nature Reserve Plan of Management. http://www.nationalparks.nsw.gov.au/PDFs/pom_final_tinderry.pdf (February 2004).
- NSW National Parks and Wildlife Service (2002) ID Guidelines for Box-Gum Woodland. http://www.nationalparks.nsw.gov.au/PDFs/box-gum_id_guidelines.pdf (February 2004)
- NSW National Parks and Wildlife Service (2003) Mundoonen Nature Reserve Draft Plan of Management. NSW NPWS Report.
- Race, D. (1999) Regional farm forestry industries: potential dimensions and possible outcomes. *Aust. For.* **62**: 182-192.
- Race, D. and Curtis, A. (1997) Socio-economic considerations for regional farm forestry development. *Aust. For.* **60**: 233-239.
- Race, D. and Freudenberger, D. (2003) Farm Forestry for Green and Gold: Australian experiences of linking biodiversity to commercial forestry. ANU Forestry & CRC Sustainable Production Forestry and CSIRO Sustainable Ecosystems. ANU and Environment Australia, Canberra.
- Raymond, C.A. and MacDonald, A.C. (1998) Where to shoot your pilodyn: within tree variation in basic density in plantations of *Eucalyptus globulus* and *E. nitens* in Tasmania. *New Forests* **15**: 205-221.

- Rayner, M.E. and Turner, B.J. (1990a) Growth and yield modelling of Australian eucalypt forests I. Historical development. *Aust. For.* **53**: 224-237.
- Rayner, M.E. and Turner, B.J. (1990b) Growth and yield modelling of Australian eucalypt forests II. Future trends. *Aust. For.* **53**: 238-247.
- Reid, J.R.W. (1999) Threatened and declining birds in the New south Wales sheep-wheat belt: I. Diagnosis, characteristics and management. Report to the NSW National Parks and Wildlife Service. CSIRO Wildlife and Ecology, Canberra.
- Reid, J.R.W. (2000) Threatened and declining birds in the New south Wales sheep-wheat belt: II. Landscape relationships - modelling bird atlas data against vegetation cover. Report to the NSW National Parks and Wildlife Service. CSIRO Wildlife and Ecology, Canberra.
- Reynolds, M.R. (1984) Estimating the error in model predictions. *For. Sci.* **30**: 454-469.
- Ritman KT (1995) Structural Vegetation Data: a specifications manual for the Murray Darling Basin Project M305. DLWC: NSW.
- Salt, D., Hobbs, R. and Lindenmayer, D. (2004). Farm forestry and biodiversity: A guide for farm foresters wanting to improve nature conservation in their plantings. Rural Industries R&D Corporation.
- Sands, P., Battaglia, M. and Mummery, D. (2000) Application of process-based models to forest management: experience with PROMOD, a simple plantation productivity model. *Tree Physiol.* **20**: 383-392.
- Sands, P., Rawlins, W. and Battaglia, M. (1999) Use of a simple plantation productivity model to study the profitability of irrigated *E. globulus*. *Ecol. Mod.* **117**: 125-141.
- Saunders, D. & Ingram, J.A. (1995) "Birds of Southwestern Australia : an Atlas of Changes in the Distribution and Abundance of Wheatbelt Avifauna". Surrey Beatty & Sons, Chipping Norton NSW in association with Western Australian Laboratory, CSIRO Division of Wildlife and Ecology.
- Schirmer, J., Kanowski, P. and Race, D. (2000) Factors affecting adoption of plantation forestry on farms: implications for forestry development in Australia. *Aust. For.* **63**: 44-51.
- Schumacher, F.X. (1939) A new growth curve and its application to timber yield studies. *J. For.* **37**: 619-620.
- Seddon, J., Briggs, S. and Doyle, S. (2002) Little River Catchment Biodiversity Assessment: A report for the TARGET project. Canberra: NSW National Parks and Wildlife Service.
- Seddon, J., Briggs, S. and Doyle, S. (in press) Relationships between bird species and characteristics of woodland remnants in central New South Wales. *Pacific Conservation Biology*.
- Semple, K.E. (1994) A history of a dry sclerophyll forest stand at Mulloon Creek, Southern Tablelands, NSW. Honours Thesis, Dept. Forestry, ANU, Canberra.
- Senelwa, K. and Sims, R.E.H. (1999) Fuel characteristics of short rotation forest biomass. *Biomass and Bioenergy* **17**: 127-140.
- Smith, A.P. and Lindenmayer, D.B. (1988) Tree hollow requirements of Leadbeater's possum and other possums and gliders in timber production ash forests of the Victorian central highlands. *Australian Wildlife Research* **15**: 347-62.

- Smith, P. (1985) Woodchip logging and birds near Bega, New South Wales. In: "Birds of Eucalypt Forests and Woodlands", Eds A. Keast, H.F.Recher, H. Ford and D. Saunders, Surrey Beatty and Sons and RAOU, NSW.
- Snowdon, P. (1991) A ratio estimator for bias correction in logarithmic regression. *Can. J. For. Res.* **21**: 720-724.
- Snowdon, P., Eamus, D., Gibbons, P., Khanna, P.K., Keith, H., Raison, R.J. and Kirschbaum, M.U.F. (2000) Synthesis of allometrics, review of root biomass and design of future woody sampling strategies. National Carbon Accounting System, Technical Report No. 17, Australian Greenhouse Office: Canberra.
- Stanton, R. (1999) Plantations for Australia - the 2020 vision. *Int. For. Rev.* **1**: 189-93.
- Tolhurst, K. and Flinn, D. (1992) Ecological impacts of fuel reduction burning in dry sclerophyll forest: first progress report. Research Report No. 349, Forest Research Section, Research Development and Assessment Branch, Department of Conservation and Environment, Victoria.
- Tongway, D. (2003) Reading the Landscape. A training course in monitoring rangelands by landscape function analysis. CSIRO Sustainable Ecosystems, Canberra.
- Tongway, D. and Hindley, N. (1995) Manual for assessment of soil condition in tropical grasslands. CSIRO Australia. ISBN 0 643 05779 X.
- Tongway, D. and Hindley, N. (1995) Manual for Soil Condition Assessment of Tropical Grasslands. CSIRO Sustainable Ecosystems, Canberra ACT.
- Tongway, D. and Ludwig, J. (1997) The Conservation of Water and Nutrients within Landscapes. In: "Landscape Ecology, Function and Management : Principles from Australia's Rangelands", Eds. Ludwig, J., Tongway, D., Freudenberg, D., Noble, J., and Hodgkinson. CSIRO Publishing, Canberra
- Turland, J.H. (2003) Tree level modelling in western New South Wales; uneven-aged mixed species forests. pp 131-43, Mason,E.G. & Perley,C.J. (Eds) Proc. Aust & NZ Institute of Forestry Conf, Wellington NZ, April 2003.
- Turnbull, J.W. and Pryor, L.D. (1978) Choice of species and seed source. pp 6-65 In "Eucalypts for Wood Production." Eds W.E. Hillis and Brown, A.G., CSIRO: Australia.
- Turner, B.J., Chikumbo, O. and Davey, S.M. (2002) Optimisation modelling of sustainable forest management at the regional level: an Australian example. *Ecol. Mod.* **153**: 157-79.
- Vanclay, J.K. (1992) Assessing site productivity in tropical moist forest: a review. *For. Ecol. Manage.* **54**: 257-287.
- Vanclay, J.K. (1985) A stand growth model for cypress pine. pp 310-332 In Leech, J.W., McMurtrie, R.E., West, P.W., Spencer, R.D. and Spencer, B.M. (Eds) Modelling Trees, Stands and Forests. Bulletin No. 5, School of Forestry, University of Melbourne.
- Vertessy, R.A., Zhang, L. and Dawes, W.R. (2003) Plantations, river flows and river salinity. *Aust. For.* **66**: 55-61.
- Walker, J. and Hopkins, M.S. (1998) Vegetation. In: "Australian Soil and Land Survey Field Handbook", Eds. R. C. McDonald, R. F. Isbell, J. R. Speight, J. Walker and M. S. Hopkins, 3rd Edition, Vol. 3, pp. 58-77, Inkata Press, Melbourne.
- Wall, J. (1997) Sustainability of the Armidale fuelwood industry on the Northern Tablelands of New South Wales: resource yield, supply, demand and management options. PhD Thesis, University of New England.

- Wardell-Johnson, G.; Williams, M. (2000) Edges and gaps in mature karri forest, south-western Australia: logging effects on bird species abundance and diversity. *Forest Ecology and Management* **131**: 1-21
- Washusen, R., Blakemore, P., Northway, R., Vinden, P. and Waugh, G. (2000a) Recovery of dried appearance grade timber from *Eucalyptus globulus* Labill. grown in plantations in medium rainfall areas of the southern Murray-Darling Basin. *Aust. For.* **63**: 277-283.
- Washusen, R., Waugh, G. and Hudson, I. (2000b) Appearance product potential of plantation hardwoods from medium rainfall areas of the southern Murray-Darling Basin. Green product recovery. *Aust. For.* **63**: 66-71.
- Watson D.M., Mac Nally, R. and Bennett, A.F. (2000) The avifauna of severely fragmented Buloke *Allocasurina luehmanni* woodland in western Victoria, Australia. *Pacific Conservation Biology* **6**: 46-60.
- Watson, D.M., Freudenberger, D. and Paull, D. (2001) An assessment of the Focal Species Approach for Conserving Birds in Variegated Landscapes in South-eastern Australia. *Conservation Biology* **15**: 1364 - 1373.
- Weller, D.E. (1987) A reevaluation of the $-3/2$ power rule of plant self-thinning. *Ecol. Monog.* **37**: 23-43.
- West, P.W. (1983) Comparison of stand density measures in even-aged regrowth eucalypt forest of southern Tasmania. *Can. J. For. Res.* **13**: 22-31.
- West, P.W. (1985) Density management diagrams and thinning practice in monoculture. pp 163-168 In Mead, D.J. and Ellis, R.C. (Eds). *Proc. Australia and New Zealand Institutes of Foresters Conference, May 1985*
- West, P.W. (2004) "Tree and Forest Measurement", Springer: Heidelberg.
- West, P.W. and Osler, G.H.R. (1995) Growth response to thinning and its relation to site resources in *Eucalyptus regnans*. *Can. J. For. Res.* **25**: 69-80.
- White, D.A., Turner, N.C. and Galbraith, J.H. (2000) Leaf water relations and stomatal behaviour of four allopatric *Eucalyptus* species planted in Mediterranean southwestern Australia. *Tree Physiology* **20**: 1157-1165.
- Weins, J.A. (1989) "The Ecology of Bird Communities." Cambridge: Cambridge University Press.
- Williams, M.R., Abbott, I., Liddelow, G.L., Vellios, C., Wheeler, I.B. and Mellican, A.E (2001) Recovery of bird populations after clearfelling of tall open eucalypt forest in Western Australia. *J. Appl. Ecology* **38**: 910 - 920
- Woldendorp, G., Keenan, R.J. and Ryan, M.F. (2002) Coarse woody debris in Australian forest ecosystems. A Report for the National Greenhouse Strategy, Module 6.6 (Criteria and Indicators of Sustainable Forest Management). Bureau of Rural Sciences, Commonwealth of Australia
- Zeide, B. (1985) Tolerance and self-tolerance of trees. *For. Ecol. Manage.* **13**: 149-166.